

# CUMULATIVE INDEX 1995

## Volume 13

---

March	ANESTHESIA FOR VASCULAR SURGERY, pages 1-258
June	THE DIFFICULT AIRWAY I, pages 259-494
September	THE DIFFICULT AIRWAY II, pages 495-750
December	CURRENT CONCEPTS IN CARDIAC RESUSCITATION, pages 751-1036

---

*Note:* Page numbers of article titles are in **boldface** type.

- Abdomen, vascular injury to, 210-212
- Abscess, retropharyngeal, airway problems with, 628
- Acetylcholine, for intraoperative hypertension, 33
- Acid-base physiology, during advanced cardiac life support, **799-808**
- Acidosis, of cardiac arrest, 799-806
  - acid transport from tissue, 801-803
  - brain during CPR, 803-804
  - intracellular pH regulation, 800-801
  - treatment of, 804-806
  - after vascular injury, 199-200
- Acromegaly, airway problems with, 622-623
- Active compression-decompression, as alternative CPR technique, 776-778
- Acute myocardial infarction, complications of, 938-939
  - management of, **923-941**
    - angiotensin converting enzyme inhibitors, 934
    - aspirin, 926
    - $\beta$ -blockers, 933
    - calcium antagonists, 935
    - emergency coronary artery bypass grafting, 936
    - heparin, 926-927
    - invasive hemodynamic monitoring, 925
    - lidocaine, 934-935
    - nitrates, 927-928
    - percutaneous transluminal coronary angioplasty, 935-936, 937
    - thrombolytic therapy, 924-925, 928-933
    - pathogenesis of, 923
    - temporary pacemakers for, 817-818
- Adenosine, for antidromic atrioventricular reciprocating tachycardia, 856
  - for confirming atrial flutter, 853
  - for confirming automatic atrial tachycardia, 854
  - for intraoperative hypertension, 33
  - for orthodromic atrioventricular reciprocating tachycardia, 856
  - for supraventricular tachycardias, 864
  - paroxysmal, 852, 853
  - pediatric, 964, 966, 967-968
- Adjuvants, for pain management after vascular surgery, 242
- Adrenaline, for resuscitation, 754-755
- Adrenergic agonists, during pediatric CPR, 955-957
- $\alpha_1$ -Adrenergic antagonists, for intraoperative hypertension, 33
- $\beta_1$ -Adrenergic antagonists, for intraoperative hypertension, 31
- Adrenergic receptors, physiology and pharmacology of, 836-837
- Advanced cardiac life support, acid-base physiology during, **799-808**
  - efficacy of drug interventions in, 990-991
  - outcome analysis of, **981-997**
  - pharmacologic management of arrhythmias during, **849-868**
  - steps of, 751, 752, 757-758
  - vasopressor therapy for, **835-847**
- AIDS, from blood transfusion, 40-41
- Airway, anesthetizing, **325-336**

## Airway (Continued)

- airway competence and, 334-335
- choosing anesthesia method for, 334
- equipment for, 328
- monitoring during, 327
- nerve blocks for, 332-334
- oxygen supplementation for, 327
- patient preparation for, 325-327
- sedation for, 327-328
- topical anesthesia for, 328-332
- clinical assessment of, 301-308
- compromised, causes of, 303-305
- difficult, in children versus adults, 600-601
  - definition of, 545
  - issue on, Part I, 259-494
  - Part II, 495-750
  - in pregnant patients, 671-680
  - difficulty reestablishing, 692-693
  - inability to protect, extubation difficulty from, 692
  - local anesthesia of, 275
  - lower, normal neonatal anatomy of, 589-590
  - nasopharyngeal, fiberoptic intubation using, 400
  - in obstetrics, 665-682. See also *Pregnancy*.
  - pediatric. See also *Pediatric airway*, and associated syndromes, 585-614
  - physics and, anesthesia at moderate altitude, 295-298
  - essentials for clinicians, 277-300
  - gas flow, 282-289
  - gas laws, 277-281
  - pulmonary biomechanics, 292-295
  - work of breathing, 289-292
- Airway emergencies, 543-564
  - airway maneuvers for failed intubation, 548-549
  - "cannot intubate, cannot ventilate," 550-561
  - definition of airway problems, 545
  - difficult airway algorithm, 545-547
  - in elective surgery, 547-549
  - emergency equipment availability, 544-545
  - in emergency surgery, 549-550
  - importance of airway evaluation, 544
  - outside operating room, 562
- Airway equipment, 309-324, 328
  - novel laryngoscopic techniques, 317-322
  - problems in laryngoscope design, 312-316
- Airway fire, during laser surgery, 739
- Airway injury, acute, from intubation, 709-714
  - from chronic intubation, 714-723
  - reintubation for, in burn patients, 693
- Airway maneuvers, for failed intubation, 548-549
- Airway monitoring, clinical and electronic, 337-360
  - with airway pressure, volume, and flow, 352-360
  - with auscultation, 337-341
  - with capnography, 341-352, 353
- Airway obstruction, extubation difficulty from, 691
  - helium-oxygen mixtures for, 285
- Airway pressure, volume, and flow, for airway monitoring, 352-360
- Airway support, basic, in trauma care, 645-646
- Alloimmunization, from blood transfusion, 42
- Altitude, effect of, on anesthesia, 295-298
- Alveolar ventilation improvement, Univent bronchial blocking system for, 504-505
- Ambulatory electrocardiographic recorders, for monitoring silent myocardial ischemia, 61
- American College of Surgeons' Statement on Advance Directives by Patients: Do Not Resuscitate in the Operating Room, 1015-1016
- Amicar, for hemostasis during vascular surgery, 48
- Amrinone, for intraoperative hypotension, 29-30
- Anaphylaxis, airway problems with, 623
- Anemia, red cell transfusion for, 37-38
- Anesthesia, cardiac arrest from, 908-909
  - risk groups for, 909-911
  - for laser surgery, 725-743. See also *Laser surgery, anesthesia for*.
  - at moderate altitude, 295-298
  - one-lung, bronchial blockade for, 495-511
  - and double-lumen tubes, 513-542
  - regional. See *Regional anesthesia*.
  - topical, for anesthetizing airway, 328-332
  - for vascular surgery, issue on, 1-258
- Anesthetic gases, volatile, for intraoperative hypertension, 31
- Aneurysms, abdominal aortic, 15-16
  - cardiac risks of, 54-55
  - as indication for abdominal aortic reconstruction, 133-134
- thoracic, 117
- Angina, postinfarction, 938
- Angiography, magnetic resonance, for carotid imaging, 13
- Angioplasty, postoperative care for, 228
- Angiotensin converting enzyme inhibitors, for acute myocardial infarction, 934
- Ankle block, for lower extremity vascular reconstruction, 182, 183
- Anticoagulation, for abdominal aortic reconstruction, 139-140

- during lower extremity vascular reconstruction, 175
- regional anesthesia and, 97-113, 245-246
- Antidromic atrioventricular reciprocating tachycardia, 856
- Antioxidant drugs, for cerebral ischemia, 883-885
- Antiplatelet agents, regional anesthesia and, 104-106
  - for stroke prevention, 13-14
- Aorta, abdominal, aneurysms of, 15-16, 54-55
  - coarctation of, 118
  - dissections of, 116-117
  - rupture of, 117-118
    - from thoracic vascular injury, 206-210
  - thoracic, anatomy of, 115-116
  - aneurysms of, 117
- Aortic diastolic pressure, in resuscitation, 840
- Aortic disease, abdominal, coexisting diseases with, 132-133
  - incidence of, 131-132
  - and indications for aortic reconstruction, 133-134
- Aortic reconstruction, abdominal, anesthesia for, 131-145
  - cardiac risks of, 54-55
  - postoperative care for, 224-226
  - thoracic, anesthesia for, 115-129
- Aortic valve, involvement of, with ascending aortic lesions, 120
- Aortobifemoral bypass, 7-9
- Aortography, for aortic injuries, 206-207
- Aortoiliac disease, 7-10
- Apnea, obstructive sleep, airway problems with, 619-620, 689
- Aprotinin, for hemostasis during vascular surgery, 47-48
- APSAC, for acute myocardial infarction, 929, 930, 931, 932
- Argon laser, 729
- Arrhythmias, acute intraoperative, initiating electrical therapy for, 817-833
  - defibrillation and cardioversion for, 809-815
  - junctional, 830
  - pharmacologic management of, during advanced cardiac life support, 849-868
  - supraventricular, electrical therapy for, 827-830
  - temporary pacemakers for, 818
  - ventricular, 830-831
- Arterial blood flow, 3
- Arterial circulation, normal, 1
- Arterial occlusive disease, acute, 6-7, 227-228
  - chronic, 7-10
- Arterial stenosis, 1-3
- Arterial wall, pathology of, and atherosclerosis, 5-6
- Arteriography, for abdominal aortic aneurysms, 15
  - for carotid artery disease, 13
- Artificial ventilation, history of, 753
- Arytenoid dislocation, from intubation, 711-712
- Aspiration pneumonitis, and pregnancy, 669-671
- Aspirin, for acute myocardial infarction, 926
  - regional anesthesia and, 104, 105
  - for stroke prevention, 13-14
- Asystole, intraoperative cardiac arrest from, 912-914
  - pharmacologic therapy for, 864
  - vasopressor drugs and, 837-838
- Atenolol, for acute myocardial infarction, 933
- Atheroma localization, hemodynamics of, 4-5
- Atherosclerosis, arterial wall pathology and, 5-6
- Atrial fibrillation, electrical therapy for, 828
  - with rapid ventricular response, treatment of, 853-854
  - with Wolff-Parkinson-White syndrome, 856-857
- Atrial flutter, electrical therapy for, 828-829
  - with rapid ventricular response, treatment of, 853-854
  - with Wolff-Parkinson-White syndrome, 856-857
- Atrioventricular nodal reentrant tachycardia, electrical therapy for, 829
- Atropine, for asystole-pulseless electrical activity, 864
  - for bradycardia, 851
  - during pediatric CPR, 959-960
- Auscultation, for airway monitoring, 337-341
- Automatic atrial tachycardia, 854
- Automatic internal cardioverter defibrillators (AICD), 812
- Autoregulation, arterial blood flow and, 3
- Awake intubation, in children, 596-597
- Bacterial diseases, from blood transfusion, 41
- Barbiturates, as anesthetics for carotid endarterectomy, 156-157
  - for cerebral ischemia, 885-886
- Baroreceptor dysfunction, and carotid endarterectomy, 150, 158

- Basic life support, outcome analysis of, 961-997  
 steps of, 751, 752, 756-757
- Bedger jet stylet, for endotracheal tube replacement, 697-698
- Bernoulli effect, 280
- Beta-blockers, for acute myocardial infarction, 933
- Bivona "Fome-Cuf" laser endotracheal tube, 737-738
- Bleeding, from retrograde intubation, 469
- Blind intubation. *See Intubation, blind; Intubation, blind nasal.*
- Blood flow, arterial, 3
- Blood pressure, during carotid endarterectomy, 158  
 intraoperative management of changes in, 26-27  
 pulmonary, intraoperative monitoring of, 71-73
- Blood salvage, for abdominal aortic reconstruction, 140  
 for vascular surgery, characteristics of salvaged product, 46-47  
 contraindications to, 45-46  
 indications for, 44-45  
 systems for, 43-44
- Blood salvage syndrome, from blood salvage, 46-47
- Blood transfusion, homologous, alternatives to, 42-47  
 autologous transfusion, 42-43  
 intraoperative blood salvage, 43-47  
 indications for, 37-39  
 pharmacologically assisted hemostasis and, 47-48  
 risks of, 39-42  
 and salvage techniques, 37-51
- Bougie, extubation over, 696
- Bradycardia, intraoperative cardiac arrest from, 912-914  
 treatment of, 849-851
- Brain, limits of complete ischemia tolerated by, 874-875
- Brain injury, from cardiac arrest, mechanisms of, 871-874  
 prevention of, 875-876  
 protective and resuscitative therapies for, calcium entry blockers, 886-890  
 corticosteroids and other antioxidant drugs, 883-885  
 excitatory amino acid antagonists, 890-891  
 glucose control, 880-883  
 magnesium, 891  
 metabolic depressant anesthetics, 885-886  
 supportive measures, 891-893  
 temperature management, 877-880
- Breathing, work of, 289-292
- Bretium, during pediatric CPR, 962  
 for ventricular tachyarrhythmias, 864
- Bronchial blockade, for one-lung anesthesia, 495-511
- Bronchoscope, extubation over, 695  
 reintubation over, 695
- Bronchoscopy, flexible fiberoptic, in children, 594-595  
 for verification of double-lumen tube placement, 524-532
- Bronchospasm, from lower airway resistance to endotracheal tube, 364-365
- Bruits, carotid, 13
- Bullard laryngoscope, pediatric, 595-596
- Bupivacaine, for epidural analgesia, 243
- Burns, airway complications after, 639  
 airway injury and reintubation with, 693  
 airway management with, 658-659
- Bypass surgery, for abdominal aortic reconstruction, 135  
 aortobifemoral, 7-9  
 cardiopulmonary. *See Cardiopulmonary bypass.*  
 extra-anatomic, 9-10  
 iliofemoral, 9  
 infrainguinal, 10-11  
 partial left heart bypass, 209
- Calcium, for intraoperative hypotension, 30  
 during pediatric CPR, 961-962
- Calcium antagonists, for acute myocardial infarction, 935
- Calcium channel blocking drugs, for intraoperative hypertension, 32-33
- Calcium entry blockers, for cerebral ischemia, 886-890
- "Cannot intubate, cannot ventilate" situations, 550-551  
 alternative methods of transtracheal ventilation/oxygenation for, 558, 560-561
- Combitube for, 551-553  
 pharyngotracheal lumen airway for, 553  
 transtracheal jet ventilation for, 553-557
- Capnography, for airway monitoring, 341-352, 353
- Captopril, for acute myocardial infarction, 934
- Carbon dioxide, end-tidal, measurement of, 787-789  
 monitoring of, during cardiac arrest and CPR, 792-795  
 during endotracheal intubation, 790-792  
 physiology and monitoring of, during resuscitation, 785-798

- and prediction of resuscitation from cardiac arrest, 795
- waveforms of, 789-790
- production and transport of, 785-787
- Carbon dioxide laser, 727-728
- Cardiac arrest, anesthetic, etiology of, 908-909
  - risk groups for, 909-911
- cerebral resuscitation from, 760-761
- chain of survival after, 982-985
- definition of, 905-906
- end-tidal carbon dioxide monitoring during, 792-795
- improving neurologic outcome after, 869-903
- in-hospital, evaluation of, 991-992
- intraoperative, 905-922
  - pathophysiology of, 911-914
  - treatment of, 914-917
- in neonates, 968-970
- pediatric, etiology of, 943-944
- perioperative, incidence of, 906-908, 910
- study design in research on, 992-993
- Cardiac pump theory, of cardiopulmonary resuscitation, 767-768
- Cardiac resuscitation, current concepts in, issue on, 751-1016
- Cardiac testing, before vascular surgery, choice of, 58
  - and pretest probability of CAD, 55-56
  - risks versus benefits of, 56-58
- Cardiogenic shock, after acute myocardial infarction, 938-939
- CardioMed Endotracheal Ventilation Catheter, for endotracheal tube replacement, 701-703
- Cardiopulmonary bypass, for aortic arch repair, 121
  - for ascending aortic surgery, 120
  - emergency femoral, as alternative CPR technique, 779-780
  - for improved neurologic outcome after cardiac arrest, 877
  - percutaneous, for intraoperative cardiac arrest, 915-917
- Cardiopulmonary-cerebral resuscitation (CPCR), phases of, 751, 752
- Cardiopulmonary resuscitation (CPR), alternative techniques of, active compression-decompression, 776-778
  - cough CPR, 779
  - emergency femoral cardiopulmonary bypass, 779-780
  - external chest compression, 780
  - high impulse CPR, 779
  - interposed abdominal compression, 775-776
  - open chest cardiac compression, 779
  - simultaneous ventilation-compression, 773
  - vest CPR, 773-775
- bystander, 987-988
- cardiac pump mechanism of, 767-768
- closed-chest, for intraoperative cardiac arrest, 914-915
- end-tidal carbon dioxide monitoring during, 792-795
- ethical considerations for, 999-1012
- ethics of research in, 1005-1006
- mechanisms and methods of, 767-783
- open-chest, history of, 754, 755-756
  - for intraoperative cardiac arrest, 915
- pediatric, 943-979
  - defibrillation, 962-963
  - ethical issues in, 971-972
  - methods of, 953-954
  - pharmacology, adrenergic agonists, 955-957
    - atropine, 959-960
    - calcium, 961-962
    - glucose, 960-961
    - lidocaine, 962
    - sodium bicarbonate, 958-959
  - physiology of, monitoring of CPR, 948-950
    - recognition of need for, 944-945
    - reestablishment of circulation, 950-953
    - reestablishment of respiration, 945
  - vascular access and fluid administration, 945-948
- pulseless electrical activity, 963-964
- in special situations, congenital heart disease, 970-971
  - neonates, 968-970
- for supraventricular tachycardia, 964, 966-968
- transcutaneous cardiac pacing, 954-955
- risk of disease transmission during, 1007-1009
- teaching, in newly deceased, 1006-1007
- thoracic pump mechanism, 768-773
- ventilation during, 780
- Cardiovascular disease, intubation and, 367-368
- Cardioversion, with permanent pacemakers, 826
  - for tachyarrhythmias, 813
- Carinal resection surgery, Univent bronchial blocking system in, 506
- Carotid artery disease, 12-15
- Carotid endarterectomy. See *Endarterectomy, carotid.*
  - airway obstruction from, 689-690
- Catalase, for cerebral ischemia, 884-885
- Catheters, epidural, anticoagulation and, 107-108
  - pulmonary artery, for myocardial ischemia detection, 71-73

- Central neural blocks, for vascular reconstruction of lower extremities, 165-175  
 epidural anesthesia, 172-175  
 spinal anesthesia, 166-172
- Cerebral blood flow, as consideration in carotid endarterectomy, 148-150
- Cerebral ischemia. See *Ischemia, brain*.
- Cerebral perfusion, monitoring of, during carotid endarterectomy, 152-154
- Cerebral resuscitation, from cardiac arrest, 760-761
- Cerebrovascular disease, 12-15
- Cervical decompression, anterior, airway obstruction from, 690-691
- Cervical plexus block, for carotid endarterectomy, 154-156
- Cervical spine, abnormalities of, airway complications with, 609  
 immobilization of, in trauma patients, 646  
 injuries to, airway management with, 649-652
- CGRP, for intraoperative hypertension, 33
- Chain of survival, after cardiac arrest, 982-985
- Chemoreceptor dysfunction, after carotid endarterectomy, 159
- Chest, normal neonatal anatomy of, 590  
 vascular injury to, 206-210
- Children, airway of. See *Pediatric airway*.  
 CPR in. See *Cardiopulmonary resuscitation (CPR)*, *pediatric*.  
 laryngeal mask airway for, 413, 430  
 laryngoscopes for, 319-322  
 retrograde intubation in, 468-469, 470-471
- Choanal atresia, airway complications with, 601
- Chronic obstructive pulmonary disease (COPD), with aortic disease, 132-133
- Chronic renal insufficiency (CRI), with aortic disease, 133
- Circulation, normal arterial, 1  
 peripheral vascular, regional anesthesia and, 86  
 pharmacologic manipulation of, 21-35
- Claudication, arterial blood flow and, 3
- Coagulation, after abdominal aortic reconstruction, 142  
 mechanisms of, 97-100
- Coagulopathy, with abdominal aortic reconstruction, 140  
 from blood salvage, 47  
 after vascular injury, 200-201
- CO<sub>2</sub> analyzers, effect of altitude on, 296
- Cocaine, as topical anesthetic, 328-329
- Combative trauma patient, airway management in, 659
- Combitube, for difficult intubation, 551-553
- Computed tomography, for abdominal aortic aneurysms, 15  
 for aortic injuries, 207  
 for carotid artery disease, 13
- Congenital heart disease, pediatric cardiac arrest from, 970-971
- Continuous positive airway pressure (CPAP), during one-lung anesthesia, 539-540  
 Univent bronchial blocking system and, 507-508
- Cook Airway Exchange Catheters, for endotracheal tube replacement, 698-699
- Coronary artery, involvement of, with ascending aortic surgery, 120
- Coronary artery bypass grafting (CABG), for acute myocardial infarction, 936  
 combined with carotid endarterectomy, 151
- Coronary artery disease (CAD), with aortic disease, 132  
 and carotid endarterectomy, 150-151  
 determining pretest probability of, 55-56  
 prevalence of, in vascular surgery patients, 53-54, 67-68
- Coronary perfusion pressure, in resuscitation, 840
- Corticosteroids, for cerebral ischemia, 883-885
- Cough, from endotracheal intubation, 366
- Cough CPR, as alternative CPR technique, 779
- Coumadin, for stroke prevention, 14
- Cranial nerve injury, after carotid endarterectomy, 159
- Cricoid pressure, laryngeal mask airway and, 418-419
- Cricothyrotomy, 565-583  
 in aeromedical environment, 578-579  
 anatomy pertinent to, 566-568  
 classification schemes for, 568-575  
 complications from, 575-576  
 controversy over, 579-580  
 definition of, 566  
 in ER setting, 577-578  
 indications and contraindications, 568  
 in OR and ICU settings, 576-577  
 percutaneous, as alternative to transtracheal jet ventilation, 561  
 pediatric, 599  
 percutaneous dilational, 571-575  
 prehospital (EMS), 579  
 surgical, 575  
 transtracheal catheter ventilation and, 569-571
- Critical care medicine (CCM), history of, 759-760
- Critical debriefing sessions, after unsuccessful CPR attempts, 1009

- Critical velocity, in airway physics, 284  
 Cross-talk, pacemaker failure from, 825  
 Cuff leak, airway obstruction and, 691
- Dead space, endotracheal intubation and, 362
- Deep hypothermic circulatory arrest, for aortic arch repair, 121-122
- Deferoxamine, for cerebral ischemia, 885
- Defibrillation, current-based, 812  
   electric, history of, 755  
   first responder, 991  
   open-chest, 812  
   during pediatric CPR, 962-963  
   with permanent pacemakers, 825-826  
   transthoracic impedance and, 811-812  
   for ventricular fibrillation, 809-811
- Dental trauma, from intubation, 712-713
- Desmopressin acetate, for hemostasis during vascular surgery, 48
- Diabetes, airway problems with, 615, 619  
   with aortic disease, 133
- Difficult airway. *See* Airway, difficult.
- Difficult airway algorithm, for airway emergencies, 545-547  
   for children, 600-601
- Difficult endotracheal intubation, definition of, 545
- Difficult laryngoscopy, definition of, 545
- Difficult mask ventilation, definition of, 545
- Diffusion of gases, 278-279
- Diltiazem, for acute myocardial infarction, 935  
   for atrial flutter or fibrillation, 854, 857  
   for intraoperative hypertension, 33  
   for multifocal atrial tachycardia, 855
- Diphtheria, intubation for, 380
- Dipyridamole thallium imaging (DTI), in vascular surgery patients, 59-60
- Dobutamine, for asystole-pulseless electrical activity, 837  
   for intraoperative hypotension, 27-28  
   for ventricular fibrillation, 838, 839
- Do-not-resuscitate orders, and medical futility, 999-1002  
   preanesthetic, 1003-1005  
   prehospital and emergency room, 1002-1003
- Dopamine, for asystole-pulseless electrical activity, 837  
   for bradycardia, 851  
   for intraoperative hypotension, 28-29  
   for ventricular fibrillation, 838, 839
- Dopexamine, for intraoperative hypotension, 29
- Double-lumen tubes, for one-lung anesthesia, 513-542  
   advantages and disadvantages of, 513-514  
   complications of, 533  
   contraindications to, 534  
   design of, 514-521  
   tracheal intubation using, 521-523  
   verification of placement, 523-532
- Down's syndrome, airway complications with, 609-610
- Echocardiography, transesophageal, for aortic injuries, 207-208  
   for intraoperative monitoring of myocardial ischemia, 73-78  
   for vascular surgery patients, 60-61
- Ectopic atrial tachycardia, therapy for, 830
- Ejection fraction, in vascular surgery patients, 61
- Elderly patients, pain management for, after vascular surgery, 247
- Electric defibrillation, history of, 755
- Electrocardiography, in intraoperative monitoring of myocardial ischemia, 69-71
- Electroencephalography, for monitoring during carotid endarterectomy, 153
- Electromagnetic interference, pacemaker failure from, 824
- Embolism, air, from blood salvage, 46  
   from cervical vascular injuries, 203-205  
   arterial, 6
- Emergency airway management. *See* Airway emergencies.
- Emergency femoral cardiopulmonary bypass, as alternative CPR technique, 779-780
- Emergency medical services (EMS), history of, 759-760
- Emphysema, subcutaneous, from retrograde intubation, 469, 472
- Endarterectomy, carotid, 14-15  
   anesthetic management of, 147-163  
   cardiac risks of, 54  
   postoperative care for, 222-224
- Endoscopy mask, for fiberoptic intubation, 399-400
- Endothelial cell, role of, 24
- Endotracheal access, during pediatric CPR, 947-948
- Endotracheal/endobronchial tubes, red-rubber double-lumen, 515-518, 519  
   Robertshaw, 516, 517, 518, 521
- Endotracheal intubation. *See* Intubation.
- end-tidal carbon dioxide monitoring during, 790-792  
   history of, 754
- Endotracheal tube cuff leaks, postoperative, 641-642



- Endotracheal tubes, exchange strategy for, 694  
 and resistance to fluid flow, 288-289  
 End-tidal carbon dioxide. *See Carbon dioxide, end-tidal.*  
 Enoximone, for intraoperative hypotension, 29  
 Ephedrine, for intraoperative hypotension, 30  
 Epidural anesthesia. *See Regional anesthesia, epidural.*  
 intraoperative bradycardia and asystole from, 913-914  
 Epidural catheters, anticoagulation and, 107-108  
 Epiglottitis, normal neonatal anatomy of, 587  
 positioning of, for laryngoscopy, 318  
 Epiglottitis, airway problems with, 626-627  
 Epinephrine, adverse effects of, 840-841  
 for asystole-pulseless electrical activity, 837-838, 864  
 for bradycardia, 851  
 for cardiopulmonary resuscitation, 754-755, 835-836  
 compared with other vasopressors, 842-843  
 dose of, 843-845  
 for intraoperative hypotension, 28  
 during pediatric CPR, 955-957  
 sodium bicarbonate and, in CPR, 804-806  
 for ventricular fibrillation, 838-839, 862  
 Epsilon aminocaproic acid, for hemostasis during vascular surgery, 48  
 Equipment, airway, 309-324, 328  
 Esmolol, for acute myocardial infarction, 933  
 for intraoperative hypertension, 31  
 Ethical considerations, for CPR, 999-1012  
 pediatric, 971-972  
 research on, 1005-1006  
 teaching resuscitation procedures in newly deceased, 1006-1007  
 withholding mouth-to-mouth resuscitation, 1007-1009  
 Ethical Guidelines for the Anesthesia Care of Patients with Do-Not-Resuscitate Orders or Other Directives That Limit Treatment, 1013-1014  
 External chest compression, as alternative CPR technique, 780  
 Extracorporeal life support, for improved neurologic outcome after cardiac arrest, 877  
 Extremities, lower, anesthetic management of vascular reconstruction of, 165-185  
 vascular injury to, 212-213  
 Extubation, after abdominal aortic reconstruction, 141  
 bronchoscopic, 695  
 high-risk, 686-693  
 inability to tolerate, from airway obstruction, 687-691  
 from hypoventilation syndromes, 691-692  
 from hypoxemic respiratory failure, 692  
 from inability to protect airway, 692  
 management strategy for, 694  
 over bougie, 696  
 potentially difficult, 694-703  
 routine, 694  
 complications and management of, 684-686  
 safe, 683-707  
 with string, 696  
 Facial injuries, airway management with, 656-658  
 Fenoldopam, for intraoperative hypertension, 33  
 Fiberoptic bronchoscope, for verification of double-lumen tube placement, 524-532  
 Fiberoptic intubation. *See Intubation, fiberoptic.*  
 Fiberscope, for direct visualization of vocal cords, 317-318  
 Fibrin degradation products, in coagulation, 100  
 Fibrinolysis, in coagulation, 98, 100  
 Fick's law, and diffusion of gases, 278  
 Fire, airway, during laser surgery, 739  
 First responder programs, in EMS, 988-991  
 Fistula formation, from cervical vascular injuries, 205  
 Flexible fiberoptic bronchoscopy, in children, 594-595  
 Flow, in fluid mechanics, 279  
 Flowmeters, effect of altitude on, 297-298  
 Flow separation, atheroma localization and, 4-5  
 Flow through an orifice, in airway physics, 284-285  
 Fluid mechanics, and airway physics, 277-281  
 Fluids, intravenous, excessive administration of, with regional anesthesia, 91  
 management of, after abdominal aortic reconstruction, 141-142  
 Functional residual capacity, endotracheal intubation and, 365-366  
 Ganglionic blocking drugs, for intraoperative hypertension, 33



- Gases, diffusion of, 278-279  
   humidification of, endotracheal intubation and, 366  
   ideal, and fluid mechanics, 277-278  
   nonideal, and fluid mechanics, 278  
   partial pressure of, effect of altitude on, 295
- Gas flow, clinical vignette, 285-286  
   critical velocity, 284  
   flow through an orifice, 284-285  
   laminar flow, 282-283  
   pressure differences, 286  
   resistance to, 286-289  
   turbulent flow, 283-284
- Gas laws, and fluid mechanics, 277-281
- Gastrointestinal complications, after  
   abdominal aortic reconstruction, 141, 142
- Glottic closure reflex, larynx and, 271
- Glottis, closing of, laryngeal muscles for, 266, 267-269  
   normal neonatal anatomy of, 587  
   opening of, laryngeal muscles for, 265-267
- Glucocorticoids, for cerebral ischemia, 883-884
- Glucose, for cerebral ischemia, 880-883  
   during pediatric CPR, 960-961
- Graft-versus-host disease, from blood transfusion, 41-42
- Graham's law, and diffusion of gases, 278
- Halothane, for intraoperative hypertension, 31
- Head and neck surgery, airway complications after, 637
- Head injury, airway management with, 652-654
- Heart failure, regional anesthesia and, 85
- Helium-oxygen mixtures, for airway obstruction, 285
- Hematoma, after carotid endarterectomy, 159  
   epidural, diagnosis of, 109  
   precautions against, 109-110  
   from regional anesthesia, 89-90, 100-101  
   symptoms of, 108-109  
   treatment of, 109
- Hemodynamic changes, during aortic surgery, 137-139
- Hemodynamic monitoring, for acute myocardial infarction, 925
- Hemorrhage, with abdominal aortic reconstruction, 140, 142  
   with cervical vascular injuries, 203  
   with vascular injuries, 194-197
- Hemostasis, pharmacologically assisted, during vascular surgery, 47-48
- primary, in coagulation, 97-98
- Henry's law, and diffusion of gases, 278-279
- Heparin, for abdominal aortic reconstruction, 139  
   for acute myocardial infarction, 926-927  
   epidural anesthesia and, in vascular surgery patient, 106-107, 245-246  
   low molecular weight, regional anesthesia and, 103  
   minidose, and regional anesthesia, 102-103
- Hepatitis, from blood transfusion, 41
- High impulse CPR, as alternative CPR technique, 779
- HIV, airway problems with, 627
- Hypercarbia, for carotid endarterectomy, 157
- Hyperglycemia, and carotid endarterectomy, 151
- Hypertension, with aortic disease, 133  
   and carotid endarterectomy, 151, 158  
   intraoperative, pharmacologic treatment of, 30-34
- Hypocapnia, for carotid endarterectomy, 157-158
- Hypotension, after carotid endarterectomy, 158  
   intraoperative, pharmacologic treatment of, 27-30  
   severe, from regional anesthesia, 90-91
- Hypothermia, after abdominal aortic reconstruction, 141  
   for cerebral ischemia, 877-880  
   for spinal cord protection, in thoracic aortic reconstruction, 126
- Hypoventilation syndromes, extubation difficulty from, 691-692
- Hypoxemia, Univent bronchial blocking system and, 507
- Hypoxemic respiratory failure, extubation difficulty from, 692
- Hypoxic pulmonary ventilation, 538
- Ideal gases, and fluid mechanics, 277-278
- Iliofemoral bypass, 9
- Immunosuppression, from blood transfusion, 41  
   regional anesthesia and, 88
- Infants, laryngoscopes for, 319-322
- Inflow disease, 7-10
- Intrainguinal bypass, 10-11
- Infrared spectrometry, for measurement of end-tidal carbon dioxide, 787-789
- Inhalation induction and intubation, in children, 597-598
- Injuries, vascular. *See Vascular injuries.*
- Injury, airway, from chronic intubation, 714-723

## Injury (Continued)

- from intubation, 709-714
  - reintubation for, in burn patients, 693
- Inotropic drugs, for intraoperative hypertension, 31
  - for intraoperative hypotension, 27-30
- Inspired oxygen fraction, in one-lung anesthesia, 538-539
- Insufflation, history of, 382-383
- Intensive care unit, monitoring in, after vascular surgery, 218-222
- Intermittent positive pressure ventilation (IPPV), history of, 753
- Interposed abdominal compression, as alternative CPR technique, 775-776
- Intracranial pressure increases, after cardiac arrest, 892-893
- Intraoral masses, airway complications with, 603, 605
- Intraosseous access, during pediatric CPR, 946-947
- Intravenous access, during pediatric CPR, 945-946
  - for thoracic aortic surgery, 119
- Intravenous fluids, excessive administration of, with regional anesthesia, 91
- Intubation, 377-389
  - airway effects of, cough, 366
  - dead space, 362
  - endotracheal tube resistance and exhalation, 365
  - functional residual capacity, 365-366
  - humidification of gases, 366
  - lower airway resistance, 364-365
  - upper airway reflexes, 362
  - upper airway resistance, 362-364
  - awake, airway competence and, 334-335
    - in children, 596-597
    - choosing anesthesia method for, 334
    - equipment for, 328
    - monitoring during, 327
    - nerve blocks for, 332-334
    - oxygen supplementation for, 327
    - patient preparation for, 325-327
    - sedation for, 327-328
    - topical anesthesia for, 328-332
  - blind, combined with fiberoptic intubation, 401-402
    - via laryngeal mask airway, 423-425
    - tactile digital intubation, 485-488
  - blind nasal, in children, 598-599
  - cardiovascular responses to, cardiovascular disease, 367-368
    - cardiovascular reflexes, 367
    - neuromuscular blocking drugs, 369
    - neuropathologic disorders, 368-369
    - neurovascular disease, 368
    - positive pressure ventilation, 370
    - prevention, 370-372
    - complications of, 709-723
      - acute airway injury, 709-714
      - chronic intubation injury of airway, 714-723
    - difficult, in children, 600-601
      - in emergency surgery, 549-550
    - difficult endotracheal, definition of, 545
    - failed, airway maneuvers for, 548-549
    - in elective surgery, 547-548
    - fiberoptic, of anesthetized patient, 395, 397-401
      - art of, 391-409
      - causes of failure of, 404-405
      - combined with other techniques, blind nasal intubation, 401-402
      - laryngeal mask airway, 402-404
      - retrograde intubation, 402
      - rigid laryngoscopy, 401
      - of conscious patient, 392, 394-395, 396-397
      - equipment for, 392, 393
      - fiberscope as airway management tool, 405-406
      - learning of, 406-407
    - history of, advent of laryngoscopy, 384-385
      - ancient concept of airway, 377-378
      - anesthesia, 380-382
      - awake inadvertent intubation, 378-380
      - diphtheria and, 380
      - insufflation, 382-383
      - vivisection and resuscitation, 378
    - innovations in, 385-387
    - lightwand, compared with conventional technique, 483-484
      - development of, 478
      - limitations of, 484-485
      - new device for, 478-480
      - technique of, 480-483
    - lightwands, lighted-stylet, and blind techniques of, 477-489
    - physiologic and pathophysiologic responses to, 361-375
    - retrograde, 439-476
      - anatomy and, 442-443
      - in children, 599-600
      - combined with fiberoptic intubation, 402
      - complications of, 469, 472
      - contraindications to, 441-442
      - history of, 439
      - indications for, 439-441
      - in pediatrics, 468-469, 470-471
      - physiology and, 444-446
      - techniques of, classic technique, 447, 448-452, 453
      - fiberoptic technique, 453, 459, 460-463
      - guide wire technique, 447, 453, 454-459

- preparation, 446-447
- silk technique, 459, 461, 464-468
- tactile digital, 485-488
- techniques for, in trauma patients, 646-649
- Ischemia, brain, limits tolerated, 874-875
  - mechanisms of, in cardiac arrest, 871-874
  - protective and resuscitative therapies for, 877-893
  - organ, from descending thoracic aortic surgery, 123-124
- Isoflurane, as anesthetic for carotid endarterectomy, 157
  - for intraoperative hypertension, 31
- Isoproterenol, for asystole-pulseless electrical activity, 837, 838
  - for bradycardia, 851
  - for intraoperative hypotension, 28
  - for ventricular fibrillation, 839
- Jet stylets, quantitation of gas flow through, 700-701
- Labetolol, for intraoperative hypertension, 31
- Laminar flow, in airway physics, 282-283
- Laplace's law, in fluid mechanics, 280-281
- Laryngeal injuries, from chronic intubation, 714-717
- Laryngeal mask airway, 385-386, 411-437
  - adult airway problems managed with, 412
  - as airway intubator, 421
  - anatomy and, 418
  - aspiration with, 420
  - blind techniques with, 423-425
  - combined with fiberoptic intubation, 402-404
  - concept and design of, 413-414
  - cricoid pressure and, 418-419
  - fiberoptic techniques with, 425-427
  - future developments in, 431
  - history of, 414-415
  - indications for, elective difficult airway, 427-428
    - emergency difficult airway, 428, 429
    - emergency medicine, 430
    - neonatal resuscitation, 430-431
    - obstetrics, 428
    - pediatrics, 430
  - insertion of, 415-417
  - local anesthesia with, 422
  - pediatric, 591-594
  - pediatric airway problems managed with, 413
  - physiology and, 419-420
  - practical considerations for, 422-423
  - split, 425
- Laryngeal nerves, recurrent, injury or anesthesia of, 273-274
  - superior, injury or anesthesia of, 273
- Laryngeal structures, normal neonatal anatomy of, 587-589
- Laryngoscopy, airway obstruction from, 689
  - for children, 319-322
  - design-related problems with, 312-316
  - difficult, definition of, 545
  - epiglottis positioning for, 318
  - history of, 384-385
  - novel techniques with, 317
  - overview of, 309-312
  - rigid, combined with fiberoptic intubation, 401
- Laryngospasm, larynx and, 271
- Laryngotracheal trauma, airway management with, 654-656
- Larynx, anatomy, physiology, and innervation of, 259-276
  - cartilages of, 261-263
  - external and internal landmarks of, 260-261
  - extra-laryngeal musculature, 263-265
  - functions of, glottic closure reflex, 271
  - laryngospasm, 271
  - phonation, 270
  - respiration, 270
  - swallowing, 270-271
  - innervation of, 271-275
  - intrinsic musculature, for closing glottis, 266, 267-269
    - for opening glottis, 265-267
    - for tensing true vocal cords, 266, 269
  - ligaments of, 263
  - phylogeny of, 259-260
- Laser(s), argon, 729
  - carbon dioxide, 727-728
  - neodymium-yttrium-aluminum-garnet (Nd:YAG), 729-730
  - principles of, 725-727
  - ruby, 729
- Laser surgery, anesthesia for, 725-743
  - in airway surgery, 733-735
  - induction of, 732-733
  - and management of airway fire, 739
  - premedication, 732
  - preoperative evaluation, 731-732
  - special endotracheal tubes for, 735-739
    - with Venturi ventilation of lungs, 740-741
  - operating room hazards in, 731
- Lateral decubitus position, physiology of, in one-lung anesthesia, 534-538
- Lidocaine, for acute myocardial infarction, 934-935

Lidocaine (*Continued*)

- during pediatric CPR, 962
- as topical anesthetic, 329, 330, 331, 332
- for ventricular tachyarrhythmias, 858-859, 864
- Lidoflazine, for cerebral ischemia, 889
- Lighted-stylets. *See* *Intubation, lightwand.*
- Lightwands, lighted-stylet and blind techniques of intubation, 477-489
- Lightwand-transtracheal illumination, pediatric, 600
- Local anesthetics, for epidural analgesia, 237, 243, 244
- Lower airway, normal neonatal anatomy of, 589-590
- Lower extremities, vascular reconstruction of, anesthetic management of, 165-185
- Ludwig's angina, airway problems with, 627-628
- Lumbar plexus block, for lower extremity reconstruction, 179-180
- Lung transplantation, Univent bronchial blocking system in, 504
- Lytic therapy, postoperative care for, 228
- Macroglossia, airway complications with, 601-603
- Magnesium, for cerebral ischemia, 891
- Magnesium sulfate, for torsades de pointes, 861
- Magnetic resonance angiography, for carotid imaging, 13
- Magnetic resonance imaging, for abdominal aortic aneurysms, 15
- for aortic injuries, 207
- for carotid artery disease, 13
- Mainstream infrared capnometers, for end-tidal carbon dioxide measurement, 788-789
- Mallinckrodt Laser-Flex endotracheal tube, for laser surgery, 738
- Mandible, normal neonatal anatomy of, 586-587
- Mask ventilation, difficult, definition of, 545
- Masses, intraoral and pharyngeal, airway complications with, 603, 605
- mediastinal, airway problems with, 623-626
- Massive fluid resuscitation, airway complications after, 639
- Mass spectrometry, for measurement of end-tidal carbon dioxide, 787
- Maxillofacial surgery, airway complications after, 638-639
- Maxillofacial trauma, airway obstruction from, 690
- Mediastinal masses, airway problems with, 623-626

- Medical conditions with airway implications, 615-633
- acromegaly, 622-623
- anaphylaxis, 623
- diabetes, 615, 619
- epiglottitis, 626-627
- HIV, 627
- Ludwig's angina, 627-628
- mediastinal masses, 623-626
- obesity, 620-621
- obstructive sleep apnea, 619-620
- pregnancy, 623
- retropharyngeal abscess, 628
- rheumatoid arthritis, 621
- Zenker's diverticulum, 621-622
- Mephenteramine, for asystole-pulseless electrical activity, 837
- Metaraminol, for asystole-pulseless electrical activity, 837
- Methoxamine, for asystole-pulseless electrical activity, 837
- compared with epinephrine, 842
- for ventricular fibrillation, 839
- Metoprolol, for acute myocardial infarction, 933
- Metro, for endotracheal tube replacement, 696
- Micrognathia, airway complications with, 605, 607-608
- Milrinone, for intraoperative hypotension, 29
- Mirrors, for indirect visualization of vocal cords, 317
- Mizus ETT replacement obturator, for endotracheal tube replacement, 696
- Monitoring, in abdominal aortic reconstruction, 136-137
- in carotid endarterectomy, 152-154
- ICU, after vascular surgery, 218-222
- in thoracic aortic surgery, 118, 119-120, 121, 122
- in vascular injury surgery, 198-199
- in vascular surgery, 67-81
- Morphine, for epidural analgesia, 244
- Motor evoked potentials, to predict spinal cord ischemia, in thoracic aortic reconstruction, 127
- Mouth, normal neonatal anatomy of, 586-587
- Mouth-to-mouth resuscitation, ethical considerations of withholding, 1007-1009
- Mucosal tears, from intubation, 709-711
- Multifocal atrial tachycardia, treatment of, 854-855
- Myocardial infarction, after carotid endarterectomy, 158
- regional anesthesia and, 84-85
- Myocardial ischemia, electrocardiographic monitoring of, 69-71

- intraoperative, significance of, 70  
 noninvasive testing for, 58-62  
 Myocardial perfusion pressure, in resuscitation, 840  
 Myopotentials, pacemaker failure from, 824
- Nasal injuries, from chronic intubation, 717-719  
 Nasal passages, normal neonatal anatomy of, 585-586  
 Nasogastric tube, for endotracheal tube replacement, 697  
 Nasopharyngeal airway, fiberoptic intubation using, 400  
 Nasopharynx, sensory innervation of, 274  
 Nd-YAG laser, 729-730  
 Neck, immobilization of, in trauma patients, 646  
   normal neonatal anatomy of, 587  
   vascular injury to, 201-206  
 Needle cricothyrotomy, disadvantages of, 560  
   for establishing transtracheal jet ventilation, 555  
 Neodymium-yttrium-aluminum-garnet laser, 729-730  
 Neonates, cardiac arrest in, 968-970  
   normal airway anatomy of, 585-590  
 Nerve blocks, for anesthetizing airway, 332-334  
 Neurologic deficit, from cervical vascular injuries, 205  
 Neurologic outcome, improving, after cardiac arrest, 869-903  
 Neuromuscular blocking drugs, intubation and, 369  
 Neuropathologic disorders, intubation in, 368-369  
 Neurovascular disease, intubation and, 368  
 Nifedipine, for acute myocardial infarction, 935  
   for intraoperative hypertension, 33  
 Nimodipine, for cerebral ischemia, 887-890  
 Nitrates, for acute myocardial infarction, 927-928  
 Nitroglycerin, for acute myocardial infarction, 927-928  
   for intraoperative hypertension, 31-32  
 Nonideal gases, and fluid mechanics, 278  
 Norepinephrine, compared with epinephrine, 842  
   for intraoperative hypotension, 29  
 Norton laser endotracheal tube, 738-739  
 NSAIDs, for pain management after vascular surgery, 240-241
- Obesity, airway problems with, 620-621
- Obstetrics, airway in, 665-682. See also *Pregnancy*.  
   laryngeal mask airway for, 428  
 Obstructive sleep apnea, airway problems with, 619-620, 689  
 Occlusive disease, acute, 6-7  
   postoperative care for, 227-228  
   chronic, 7-10  
   as indication for abdominal aortic reconstruction, 134  
 One-lung anesthesia, bronchial blockade for, 495-511  
   and double-lumen tubes, 513-542. See also *Double-lumen tubes*.  
   indications for, 513-514  
   management of, 538-541  
 Open chest cardiac compression, as alternative CPR technique, 779  
 Opiates, for epidural analgesia, 237  
   for spinal cord protection, in thoracic aortic reconstruction, 126  
 Opioids, for abdominal aortic reconstruction, 140-141  
   for pain management after vascular surgery, 241-242, 243-244  
 Oral cavity, sensory innervation of, 274-275  
 Oral mucosal injuries, from chronic intubation, 717-719  
 Oropharynx, normal neonatal anatomy of, 586-587  
   sensory innervation of, 275  
 Orthodromic atrioventricular reciprocating tachycardia, 856  
 Outflow disease, 10-12  
 Oxygen analyzers, effect of altitude on, 296  
 Oxygenation, low-pressure, 558, 560  
 Oxygen supplementation, for awake intubation, 327
- Pacemakers, acute intraoperative failure of, 821, 823-825  
   permanent, cardioversion and defibrillation with, 825-826  
   temporary, for acute myocardial infarction, 817-818  
   for arrhythmias, 818  
   in perioperative period, 818-819  
   treatment of failure of, 825, 826  
 Pacing modalities, transcatheter, 819  
   transesophageal, 821  
   transvenous, 819-821  
 Pain control, regional anesthesia and, 88-89  
 Pain management, after vascular surgery. See *Vascular surgery, and postoperative pain management*.

- Panendoscopy, airway obstruction from, 689
- Paradoxical vocal cord motion (PVC), airway obstruction from, 687-688
- Paroxysmal supraventricular tachycardia, treatment of, 852-853
- Partial left heart bypass, for thoracic aortic repair, 209
- Partial pressure of gases, effect of altitude on, 295
- Patil two-part intubation catheter, for endotracheal tube replacement, 699
- Pediatric airway, and associated syndromes, **585-614**  
     failed airway sequence for, 600-601  
     management of, awake intubation, 596-597  
     blind nasal intubation, 598-599  
     Bullard laryngoscope, 595-596  
     flexible fiberoptic bronchoscopy, 594-595  
     inhalation induction and intubation, 597-598  
     laryngeal mask airway, 591-594  
     lightwand-transtacheal illumination, 600  
     pediatric cricothyrotomy and transtacheal jet ventilation, 599  
     retrograde intubation, 599-600  
     tracheal tubes, 591  
     normal neonatal anatomy of, 585-590  
     related syndromes and malformations of, 601-610  
         cervical spine abnormalities, 609  
         choanal atresia, 601  
         Down's syndrome, 609-610  
         intraoral and pharyngeal masses, 603, 605  
         macroglossia, 601-603  
         micrognathia, 605, 607-608
- Pediatric patients. *See Children.*
- Pelvis, vascular injury to, 210-212
- Percutaneous cardiopulmonary bypass, for intraoperative cardiac arrest, 915-917
- Percutaneous cricothyrotomy, as alternative to transtacheal jet ventilation, 561  
     pediatric, 599
- Percutaneous dilational cricothyrotomy, 571-575
- Percutaneous transluminal coronary angioplasty, for acute myocardial infarction, 935-936, 937
- Peripheral nerve blocks, for vascular reconstruction of lower extremities, 175-182  
     anatomy, 176-177  
     ankle block, 182, 183  
     lumbar plexus block, 179-180  
     sciatic nerve block, 180-182  
         selection considerations, 177-178
- Peripheral reconstructions, postoperative care for, 226-227
- Peripheral vascular resistance, arterial blood flow and, 3
- PGE<sub>1</sub>, for intraoperative hypertension, 33
- Pharmacologic adjuncts, to airway management, 649
- Pharyngeal masses, airway complications with, 603, 605
- Pharyngotracheal lumen airway, for difficult intubation, 553
- Phentolamine, for intraoperative hypertension, 33
- Phenylephrine, for asystole-pulseless electrical activity, 837, 838  
     compared with epinephrine, 842-843  
     for intraoperative hypotension, 30  
     during pediatric CPR, 955-956  
     for ventricular fibrillation, 839
- Phonation, larynx and, 270
- Phosphodiesterase inhibitors, for intraoperative hypotension, 29-30
- Plasma transfusion, for vascular surgery, indications for, 39
- Platelet dysfunction, regional anesthesia and, 104-106
- Platelet transfusion, for vascular surgery, indications for, 38-39
- Pleomorphic ventricular tachyarrhythmias, 860-861
- Pneumonitis, aspiration, and pregnancy, 669-671
- Poiseuille's law, in fluid mechanics, 279
- Positive end-expiratory pressure (PEEP), during one-lung anesthesia, 539
- Positive pressure ventilation, cardiopulmonary consequences of, 370
- Postoperative care, after vascular surgery. *See Vascular surgery, and postoperative care.*
- Postoperative conditions with airway implications, **635-643**  
     burns, 639  
     endotracheal tube cuff leaks, 641-642  
     head and neck surgery, 637  
     massive fluid resuscitation, 639  
     maxillofacial surgery, 638-639  
     subglottic stenosis and tracheobronchial stricture, 639-641  
     tonsillectomy, 637-638  
     tracheotomy, 635-637
- Potassium, pacemaker failure and, 823-824
- Preexcitation, electrical therapy for, 829-830
- Pregnancy, airway problems with, 623  
     anticipated difficult airway in, 671-678  
     aspiration pneumonitis and, 669-671  
     physiologic changes in airway during, 666-669

- unanticipated difficult airway in, 678-680
- Pressure, in fluid mechanics, 279
- Pressure differences, in gas flow, 286
- Pressure units, and airway physics, 281
- Prioximone, for intraoperative hypotension, 29
- Prisms, for indirect visualization of vocal cords, 317
- Procainamide, for antidromic atrioventricular reciprocating tachycardia, 856
  - for atrial flutter or fibrillation, 856
  - for ventricular tachyarrhythmias, 859, 864
- Profundaplasty, 12
- Prolonged life support, steps of, 751, 752, 758
- Propranolol, for acute myocardial infarction, 933
  - for automatic atrial tachycardia, 854
  - for intraoperative hypertension, 31
- Pulmonary biomechanics, 292-295
- Pulseless electrical activity, intraoperative cardiac arrest from, 914
  - pediatric, 963-964
  - pharmacologic therapy for, 864
  - vasopressor drugs for, 837-838
- Red cell transfusion, for vascular surgery, indications for, 37-38
- Red-rubber double-lumen endotracheal/endobronchial tubes, 515-518, 519
- Reflexes, cardiovascular, during endotracheal intubation, 367
  - glottic closure, larynx and, 271
  - upper airway, during endotracheal intubation, 362
- Regional anesthesia, anticoagulation and, 97-113
  - epidural catheters, 107-108
  - heparin, 106-107
  - low molecular weight heparin, 103
  - mechanisms of coagulation, 97-100
  - minidose heparin, 102-103
  - platelet dysfunction, 104-106
  - spinal or epidural hematoma, 100-101
    - diagnosis of, 109
    - precautions against, 109-110
    - symptoms of, 108-109
    - treatment of, 109
  - thrombocytopenia, 103-104
  - thromboprophylaxis, 101-102
  - urokinase therapy, 108
- central neural blocks, for vascular reconstruction of lower extremities, 165-175
- cervical plexus block, for carotid endarterectomy, 154-156
- epidural, for abdominal aortic reconstruction, 140
  - favorable features of, better peripheral vascular circulation, 86
  - better postoperative pain control, 88-89
  - better suppression of surgical stress response, 87
  - earlier ambulation, 89
  - faster postoperative recovery of gastrointestinal function, 85-86
  - less immunosuppression, 88
  - less psychological alteration, 88
  - reduced blood loss, 87
  - reduced incidence of myocardial infarction and heart failure, 84-85
  - reduced incidence of thromboembolism, 86-87
  - reduced postoperative mortality, 83-84
  - reduced postoperative pulmonary complications, 85
  - shorter hospital stay, 89
- for lower extremity vascular reconstruction, 172-175
- for pain management, after thoracic aortic surgery, 119
  - after vascular surgery, 236-238, 243-246
- unfavorable features of, epidural hematoma, 89-90
  - excessive perioperative administration of IV fluids, 91
  - extra time required for performance of block, 91
  - severe hypotension, 90-91
- versus general anesthesia, for vascular surgery, 83-96
- peripheral nerve blocks, for vascular reconstruction of lower extremities, 175-182
  - sedation during, for lower extremity vascular reconstruction, 182, 184
- Reintubation, bronchoscopic, 695
  - for difficulty reestablishing airway, 692-693
  - potentially difficult, 694-703
- Renal failure, from blood salvage, 47
- Renal protection, for abdominal aortic reconstruction, 139
- Resistance, endotracheal tube, and exhalation, 365
  - in fluid mechanics, 279
  - to gas flow, 286-289
  - lower airway, and endotracheal intubation, 364-365
  - upper airway, and endotracheal intubation, 362-364
- Respiration, larynx and, 270
- Respiratory mechanics equation, 292-295



- Respiratory rate, during one-lung anesthesia, 539
- Resuscitation. See also *Cardiopulmonary resuscitation (CPR)*.  
cardiac, current concepts in, issue on, 751-1016  
end-tidal carbon dioxide physiology and monitoring during, 785-798
- Resuscitation medicine, modern, history of, 751-765
- Retrograde intubation. See *Intubation, retrograde*.  
pediatric, 599-600
- Retropharyngeal abscess, airway problems with, 628
- Revascularization, lower extremity, cardiac risks of, 55
- Reynolds number calculation, and turbulent flow, 283-284
- Rheumatoid arthritis, anesthetic considerations in, 621
- Right ventricular infarction, after acute myocardial infarction, 939
- Robertshaw double-lumen endotracheal/endobronchial tubes, 516, 517, 518, 521
- Ruby laser, 729
- Salvage techniques. See also *Blood salvage*.  
blood transfusion and, 37-51
- Sciatic nerve block, for lower extremity reconstruction, 180-182
- Sedation, during anesthesia, 327-328  
during regional anesthesia, for lower extremity vascular reconstruction, 182, 184
- Seizures, after cardiac arrest, 891-893
- Shear stress, atheroma localization and, 4
- Sheridan Tracheal Tube Exchanger, for endotracheal tube replacement, 699-700
- Shunts, for spinal cord protection, in thoracic aortic reconstruction, 126
- Sidestream infrared capnometers, for end-tidal carbon dioxide measurement, 788
- Simultaneous ventilation-compression, as alternative CPR technique, 773
- Single-lung ventilation. See *One-lung anesthesia*.
- Sinoatrial nodal reentrant tachycardia, therapy for, 827-828
- Sinus bradycardia, therapy for, 827
- Sinusitis, from chronic intubation, 719
- Sinus tachycardia, therapy for, 827-828
- Sleep apnea, obstructive, airway problems with, 619-620, 689
- Smoking, and carotid endarterectomy, 151
- Sodium bicarbonate, during CPR, 804-806  
during pediatric CPR, 958-959  
for ventricular fibrillation, 862, 864
- Sodium nitroprusside, for intraoperative hypertension, 31-32
- Somatosensory evoked potential monitoring, to predict spinal cord ischemia, in thoracic aortic reconstruction, 127  
for thoracic aortic repair, 209-210
- Spinal anesthesia, intraoperative bradycardia and asystole from, 913-914  
for lower extremity vascular reconstruction, 166-172
- Spinal cord, blood supply of, and thoracic aortic reconstruction, 124  
protection of, in thoracic aortic reconstruction, 124-127
- Spinal drains, for spinal cord protection, in thoracic aortic reconstruction, 127
- Stenosis, arterial, 1-3  
upper airway, from chronic intubation, 720-723
- Stenotic airway lesions, as postoperative complication, 639-641
- Streptokinase, for acute myocardial infarction, 929, 930, 931, 932
- Stress testing, chemical, in vascular surgery patients, 59-60  
exercise, in vascular surgery patients, 58
- Stroke, and carotid endarterectomy, 151, 158  
and vascular surgery, 12-15
- Stump pressure, during carotid endarterectomy, 153-154
- Stylets, for endotracheal tube replacement, 697-703
- Subcutaneous emphysema, from retrograde intubation, 469, 472
- Succinylcholine, intraoperative cardiac arrest from, 913-914  
intubation and, 369
- Superoxide dismutase, for cerebral ischemia, 884-885
- Supraventricular tachyarrhythmias, treatment of, 851-855
- Supraventricular tachycardia, paroxysmal, 852-853  
pediatric, 964, 966-968
- Swallowing, larynx and, 270-271
- Tachyarrhythmias, associated with Wolff-Parkinson-White syndrome, 855-857  
cardioversion for, 813
- Tactile digital intubation, 485-488
- Teeth, in airway assessment, 302-303
- Temporomandibular joint trauma, from intubation, 712-713

- Tetracaine, for spinal cord protection, in thoracic aortic reconstruction, 126
- Thoracic pump theory, of cardiopulmonary resuscitation, 768-773
- Thoracic surgery, Univent bronchial blocking system in, 500, 502-504
- Thoracoscopy, Univent bronchial blocking system in, 505
- Thrombocytopenia, regional anesthesia and, 103-104
- Thromboembolism, reduced incidence of, with regional anesthesia, 86-87 and vascular surgery, 6
- Thrombolytic therapy, for acute myocardial infarction, 924-925, 928-933
- Thromboprophylaxis, regional anesthesia and, 101-102
- Thrombosis, arterial, 7  
deep vein, regional anesthesia and, 101-102
- Thyroidectomy, airway obstruction from, 688-689
- Ticlopidine, for stroke prevention, 14
- Tidal volume, during one-lung anesthesia, 539
- Tirilazad, for cerebral ischemia, 884
- Tissue plasminogen activators, in coagulation, 98, 100
- Tonsillectomy, airway complications after, 637-638
- Topical anesthesia, for airway, 328-332
- Torsades de pointes, 861
- t-PA, for acute myocardial infarction, 929, 930, 931, 932
- Trachea, normal neonatal anatomy of, 589
- Tracheal injuries, from chronic intubation, 714-717
- Tracheostomy, Univent bronchial blocking system with, 506-507
- Tracheotomy, airway complications after, 635-637  
for diphtheria, 380
- Trachlight, for lightwand intubation, 478-485
- Tranexemic acid, for hemostasis during vascular surgery, 48
- Transcutaneous cardiac pacing, pediatric, 954-955
- Transesophageal echocardiography. See *Echocardiography, transesophageal.*
- Transfusion, blood. See *Blood transfusion.*
- Transfusion reactions, from blood transfusion, 40
- Transient ischemic attacks (TIAs), 13
- Transthoracic impedance, defibrillation and, 811-812
- Transtracheal catheter ventilation, cricothyrotomy and, 569-571
- Transtracheal jet ventilation, for "cannot intubate, cannot ventilate" situations, 553-557  
pediatric, 599
- Transtracheal tubes, pediatric, 591
- Trasylol, for hemostasis during vascular surgery, 47-48
- Trauma, airway management in, 645-663  
basic airway support, 645-646  
intubation techniques, 646-649  
neck immobilization, 646  
pharmacologic adjuncts, 649  
special considerations, burns, 658-659  
cervical spine injury, 649-652  
combative trauma patient, 659  
facial injuries, 656-658  
head injury, 652-653  
laryngotracheal trauma, 654-656
- Trimethaphan, for intraoperative hypertension, 33
- Trisomy 21, airway complications with, 609-610
- True vocal cords, tensing of, laryngeal muscles for, 266, 269
- Turbulent flow, in airway physics, 283-284
- Ultrasonography, for abdominal aortic aneurysms, 15  
duplex, for carotid artery disease, 13
- Univent bronchial blocking system, for alveolar ventilation improvement, 504-505  
in carinal resection surgery, 506  
complications from, 508-510  
continuous positive airway pressure and, 507-508  
design of, 497  
endotracheal tube changes minimized by, 505  
in general thoracic surgery, 500, 502-504  
hypoxemia and, 507-508  
inflation of blocker cuff, 499-500  
in lung transplantation, 504  
placement technique for, 497-499  
in thoracoscopic procedures, 505  
in tracheostomy patients, 506-507
- Urokinase therapy, regional anesthesia and, 108
- Uvulopalatopharyngoplasty (UPPP), airway obstruction from, 689
- Van der Waals effect, nonideal gases and, 278
- Vapor analyzers, effect of altitude on, 296
- Vaporizers, effect of altitude on, 296-297
- Vapors, effect of altitude on, 296-297

- Vascular access, during pediatric CPR, 945-948
- Vascular control mechanisms, local control, 24-25  
remote control, 25-26
- Vascular disease, effects of, on pharmacologic manipulation of circulation, 34
- Vascular injuries, 187-216  
abdominal, 210-212  
of extremities, 212-213  
hemorrhage with, 194-197  
initial evaluation and treatment of, 190, 192-194  
intraoperative management of, 197-201  
acid-base and electrolyte balance, 199-200  
airway management, 197-198  
anesthetic agents, 198  
coagulopathy, 200-201  
monitoring, 198-199  
temperature control, 199  
mechanisms of, blast injuries, 188  
blunt injuries, 188, 189  
crush injuries, 188  
iatrogenic injuries, 188, 190  
penetrating injuries, 187-188  
of neck, 201-206  
pelvic, 210-212  
thoracic, 206-210  
types of, 190, 191
- Vascular smooth muscle tone, cellular control of, 21-23
- Vascular surgery, anesthesia for, issue on, 1-258  
and anesthetic management, of abdominal aortic reconstruction, 131-145  
of carotid endarterectomy, 147-163  
of thoracic aortic reconstruction, 115-129  
of vascular reconstruction of lower extremities, 165-185  
aortic, dynamic stresses in, 68  
blood transfusion and salvage techniques during, 37-51  
cardiac risks of individual procedures, 54-55  
hemodynamic and clinical considerations in, 1-19  
abdominal aortic aneurysm, 15-16  
acute arterial occlusive disease, 6-7  
arterial blood flow, 3  
arterial stenosis, 1-3  
arterial wall pathology and atherosclerosis, 5-6  
atheroma localization, 4-5  
cerebrovascular disease, 12-15  
chronic arterial occlusive disease, 7-10  
normal arterial circulation, 1  
outflow disease, 10-12  
monitoring in, 67-81  
pharmacologic manipulation of circulation during, 21-35  
and postoperative care, 217-233  
for angioplasty, 228  
for aortic surgery, 224-226  
for carotid endarterectomy, 222-224  
ICU monitoring for, 218-222  
for lytic therapy, 228  
for peripheral reconstructions, 226-227  
and postoperative pain management, 235-249  
monitoring of treatment, 238  
need for, 235-238  
nonpharmacologic modalities, 239  
pain assessment, 238  
pharmacologic modalities, 239-242  
special problems, 245-247  
spinal administration, 242-245  
and preoperative cardiac evaluation of patient, 53-65, 217-218  
preoperative cardiac testing for, choice of testing, 58  
noninvasive testing for myocardial ischemia, 58-62  
probability of CAD based on clinical history, 55-56  
risks versus benefits of, 56-58  
and regional anesthesia and anticoagulation, 97-113  
regional versus general anesthesia for, 83-96  
for vascular injuries, 187-216
- Vasoconstrictors, for intraoperative hypotension, 30
- Vasodilators, for intraoperative hypertension, 31-33
- Vasopressors, adrenergic physiology and pharmacology, 836-837  
for advanced cardiac life support, 835-847  
adverse effects of, 840-841  
for asystole-pulseless electrical activity, 837-838  
comparison of, 841-843  
mechanism of action, 839-840  
for ventricular fibrillation, 838-839
- Ventilation, after abdominal aortic reconstruction, 141  
during CPR, 780  
one-lung, for descending thoracic aortic surgery, 122-123
- Ventricular arrhythmias, intraoperative cardiac arrest from, 911-912
- Ventricular fibrillation, defibrillation for, 809-811  
epinephrine for, 862  
intraoperative cardiac arrest from, 911-912  
vasopressor drugs for, 838-839

- Ventricular tachyarrhythmias,
  - intraoperative cardiac arrest from, 911-912
  - treatment of, 857-864
- Venturi jet ventilation of lungs, during laser surgery, 740-741
- Verapamil, for acute myocardial infarction, 935
  - for atrial flutter or fibrillation, 856-857
  - contraindicated in wide-complex tachycardia, 864
  - for intraoperative hypertension, 33
  - for multifocal atrial tachycardia, 855
  - for orthodromic atrioventricular reciprocating tachycardia, 856
  - for paroxysmal supraventricular tachycardia, 852-853
- Vest CPR, as alternative CPR technique, 773-775
- Viral diseases, from blood transfusion, 40-41
- Wall shear forces, atheroma localization and, 4
- Wolff-Parkinson-White syndrome, tachyarrhythmias associated with, 855-857
- Work of breathing, 289-292
- Xomed Laser-Shield endotracheal tubes, for laser surgery, 735-736
- Zenker's diverticulum, airway problems with, 621-622